

**** MATERIAL SAFETY DATA SHEET ****

4-Vinylbenzyl chloride, tech., 90%

**** SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION ****

MSDS Name: 4-Vinylbenzyl chloride, tech., 90%

Catalog Numbers:

42252-0000, 42252-1000

Synonyms:

Chloromethylstyrene

Company Identification (Europe): Acros Organics BVBA
 Janssen Pharmaceuticaaan 3a
 2440 Geel, Belgium

Company Identification (USA): Acros Organics
 One Reagent Lane
 Fairlawn, NJ 07410

For information in North America, call: 800-ACROS-01

For information in Europe, call: 0032(0) 14575211

For emergencies in the US, call CHEMTREC: 800-424-9300

For emergencies in Europe, call: 0032(0) 14575299

**** SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS ****

CAS#	Chemical Name	%	EINECS#	Haz Symbols	Risk Phrases
1592-20-7	4-Vinylbenzyl chloride	90%	216-471-2		

Hazard Symbols: C

Risk Phrases: 34

**** SECTION 3 - HAZARDS IDENTIFICATION ****

EMERGENCY OVERVIEW

Causes burns.Light sensitive.Air sensitive.

Potential Health Effects

Eye:

Causes eye burns. Lachrymator (substance which increases the flow of tears).

Skin:

Causes skin burns.

Ingestion:

Causes gastrointestinal tract burns. The toxicological properties of this substance have not been fully investigated.

Inhalation:

Causes chemical burns to the respiratory tract. The toxicological properties of this substance have not been fully investigated.

Chronic:

Not available.

**** SECTION 4 - FIRST AID MEASURES ****

Eyes:

Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid immediately.

Skin:

Get medical aid immediately. Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Ingestion:

Do NOT induce vomiting and seek IMMEDIATE MEDICAL ADVICE.

Inhalation:

Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Notes to Physician:

**** SECTION 5 - FIRE FIGHTING MEASURES ****

General Information:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media:

In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

**** SECTION 6 - ACCIDENTAL RELEASE MEASURES ****

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section.

**** SECTION 7 - HANDLING and STORAGE ****

Handling:

Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation.

Storage:

Store in a cool, dry place. Keep container closed when not in use. Keep refrigerated. (Store below 4°C/39°F.)

**** SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION ****

Engineering Controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels.

Personal Protective Equipment

Eyes:

Wear safety glasses and chemical goggles if splashing is possible.

Skin:

Wear appropriate protective gloves and clothing to prevent skin exposure.

Clothing:

Wear appropriate protective clothing to minimize contact with skin.

Respirators:

Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions.

**** SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES ****

Physical State: Clear liquid
Color: yellow
Odor: Not available.
pH: Not available.
Vapor Pressure: Not available.

Viscosity: Not available.
Boiling Point: Not available.
Freezing/Melting Point: 0 deg C
Autoignition Temperature: Not available.
Flash Point: 140 deg C (284.00 deg F)
Explosion Limits, lower: Not available.
Explosion Limits, upper: Not available.
Decomposition Temperature: 140 deg C
Solubility in water:
Specific Gravity/Density:
Molecular Formula: CH₂CHC₆H₄CH₂Cl
Molecular Weight: 152.62

**** SECTION 10 - STABILITY AND REACTIVITY ****

Chemical Stability:

Stable under normal temperatures and pressures.

Conditions to Avoid:

Incompatible materials, light, exposure to air, temperatures above 150°C.

Incompatibilities with Other Materials:

Strong oxidizing agents, acids, bases, metals.

Hazardous Decomposition Products:

Irritating and toxic fumes and gases.

Hazardous Polymerization: Has not been reported.

**** SECTION 11 - TOXICOLOGICAL INFORMATION ****

RTECS#:

CAS# 1592-20-7 unlisted.

LD50/LC50:

Not available.

Carcinogenicity:

4-Vinylbenzyl chloride -

Not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.

See actual entry in RTECS for complete information.

**** SECTION 12 - ECOLOGICAL INFORMATION ****

**** SECTION 13 - DISPOSAL CONSIDERATIONS ****

Dispose of in a manner consistent with federal, state, and local regulations.

**** SECTION 14 - TRANSPORT INFORMATION ****

IATA

Shipping Name: CORROSIVE LIQUID, N.O.S.*

Hazard Class: 8

UN Number: 1760

Packing Group: II

IMO

Shipping Name: CORROSIVE LIQUID, N.O.S.

Hazard Class: 8

UN Number: 1760

Packing Group: II

RID/ADR

Shipping Name: CORROSIVE LIQUID, N.O.S.

Hazard Class: 8

UN Number: 1760

Packing group: II

**** SECTION 15 - REGULATORY INFORMATION ****

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: C

Risk Phrases:

R 34 Causes burns.

Safety Phrases:

S 25 Avoid contact with eyes.

S 28A After contact with skin, wash immediately with plenty of water.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

WGK (Water Danger/Protection)

CAS# 1592-20-7: No information available.

United Kingdom Occupational Exposure Limits

United Kingdom Maximum Exposure Limits

Canada

CAS# 1592-20-7 is listed on Canada's DSL List.

CAS# 1592-20-7 is not listed on Canada's Ingredient Disclosure List.

Exposure Limits

US FEDERAL

TSCA

CAS# 1592-20-7 is listed on the TSCA inventory.

**** SECTION 16 - ADDITIONAL INFORMATION ****

MSDS Creation Date: 7/16/1996 Revision #0 Date: Original.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.
